



UPGRADE KITS FOR MAINTENANCE MINIMIZATION

VISATRON®

VN/87^{plus}, /87, /93
SERIES



Oil Mist Detection Systems



FEATURES:

- Longer lasting air filter
- Longer Time before Overhaul (TBO)
- Not dependent on on board air quality
- Easy to retrofit
- Optional automatic de-oiling/-watering

DRIVING AIR CONDITIONING (PART NO. 272213)

VISATRON® VN/87^{plus}, /87, /93 SERIES

FUNCTION DESCRIPTION

VISATRON® Oil Mist Detection systems, no matter whether of VN/87^{plus}, /87 or /93 series, are known as being reliable and trustworthy safety systems to protect your engine from consequential damage after e.g. a bearing failure.




Nevertheless, in order to reduce maintenance costs and to ensure a maximum availability time, some upgrade kits are available.

- For longer lasting air filter lifetimes
- Longer Time before Overhaul (TBO)
- Not dependent on on board air quality
- Easy to retrofit

As an option:

- Automatic de-oiling/-watering

In case of less than optimal air quality to the oil mist detector, the kit may help you limit failing OMD measuring heads, indicated by failure LED No. 14 - negative pressure/airflow too low. It helps you avoid problems with air filters in the measuring head and pressure regulator.




PRESSURISED AIR SCAVENGING (PART NO. 270412) FOR VISATRON® VN/87 SERIES

By means of an air scavenging system, it is possible to provide air to the scavenging air chambers independent of the ambient air. This option is recommended if ambient air around the engine is/is can be polluted by dust or smoke.

The pressurised air scavenging receives the air through the nozzle of the draft pump which is connected with a hose to the special inspection cover on the measuring head. The air flow is regulated by special jets located in the nozzle and inspection cover.

Systems VN/87^{plus} and VN/93 are equipped with pressurised air scavenging as a standard, no retrofit necessary.



MEASURING HEAD HEATING SYSTEM FOR VISATRON® VN/87 SERIES


A standard heating element is installed in all the VN/87 series, in the base plate. This heating unit might not be sufficient to cover all cases (cases of extreme humidity in the crankcase, higher water content in the lubricating oil or lower than normal ambient temperatures). The measuring head heating system serves to warm up the top of the measuring head and the crankcase gas flowing through the device, heating the device internally in order to avoid condensation of water, especially in climate zones with high humidity or low temperatures.

Condensation of water may trigger a false high oil mist alarm when small droplets of water are detected by the optical measuring sensors and could cause a shutdown of the engine.

The measuring head heating system will be mounted on top of the measuring head and replaces the heating system in the base plate.

The power supply is connected in the same way as the heating system of the base plate, by means of a plug underneath the main Harting plug on the base plate.

Systems VN/87^{plus} and VN/93 are equipped with measuring head heating systems integrated into their housings as standard, no retrofit necessary.



Safety for you and your engine: Worldwide!

Headquarters:

SCHALLER Automation

Industrielle Automationstechnik GmbH & Co. KG
Industriering 14
D-66440 Blieskastel
Tel.: +49 6842 508 0
Fax: +49 6842 508 260
Mail: info@schaller.de
www.schaller-automation.com

Key Account Management Center:

Singapore

Schaller Automation Pte Ltd.
114 Lavender Street
#09-93 CT Hub 2
Singapore 338729
Phone: +65 6643 5151 (24/7)
Fax: +65 6643 5150
Mail: info@schallersingapore.com



China

Schaller Automation - China
Room 401, Juyang Mansion No. 1200
Pudong Avenue,
Shanghai 200135, P.R.China
Phone: +86 - 21 - 5093 - 7566
Mobile: +86 - 1390 - 1890 - 736
Fax: +86 - 21 - 5093 - 7556
Mail: info@schallerchina.cn

USA

Schaller Automation LP
811 Shotgun Road
Sunrise, FL 33326
United States of America
Phone: +1 954 794 1950
Mobile: +1 561 289 1495
Fax: +1 954 794 1951
Mail: info@schalleramerica.com



ISO 9001/2015 certified

